



The image has the only illustrative purpose and it is purely indicative, it may not fully reflect the product configuration.

Mini Junction Box 6 ways M16/M20

Code: **THA.212.B0A**



Potential improvements of the product and modifications of the technical data contained in this document can be made without notice.

GENERAL INFORMATION

Type of installation	Joint connector (re-usable/re-accessible)
Product configuration	Junction box (empty) <i>*Cable accessories and terminal block to be ordered separately</i>
Colour	Black (Plastic components) - White (Rubber components)
Overall dimensions (mm)	72.0 x 75.0 x 57.0

ELECTRIC DATA

No. connected cables	6
-----------------------------	---

ENVIRONMENT CONDITIONS

IP rating	IP66
	<i>*IP66 guaranteed with the correct installation of accessories for the M20 hole on the cover.</i>
IK rating	IK08
Ambient temperature MIN/MAX (According to EN61984/EN60998)	-20°C/+60°C
Operating temperature MAX	+60°C

MATERIALS


Exterior body	PC/ABS UL94V0
O Rings	Silicone
Material property	Halogen Free

COMMERCIAL DATA

EAN	8057457098939
Packing method	Bulk packed (OEM)
Type of packaging	Box
Pieces/box (pcs)	12
Weight per Piece (gr)	101.00
Overall dimensions of box (mm)	300 X 200 X 160
Custom tariff number	85369010
Country of origin	ITALY




APPROVALS

CE/UKCA marking:

File	Type	Size
 CE UKCA TH212.pdf	PDF	139.50 KB


TECHNICAL DOCUMENTATIONS

Technical documentations:

File	Type	Size
 606002044_IST_TH212.pdf	PDF	1.90 MB
 ITA_Annex_TH212.pdf	PDF	2.45 MB
 ENG_Annex_TH212.pdf	PDF	2.43 MB

DRAWINGS

Drawings:

File	Type	Size
 THA.212.B0A.pdf	PDF	367.74 KB




CAD FILES

CAD files:

File	Type	Size
 THA.212.B0A.STEP	STEP	21.80 MB

MARKETING DOCUMENTS

Marketing documentations:

File	Type	Size
 Brochure_News_22-23_ITA.pdf	PDF	8.19 MB
 Brochure_News_22-23_ENG.pdf	PDF	8.23 MB
 Brochure_IoTH_ITA.pdf	PDF	5.38 MB